# BAIC PR.L.C. 435.752.2475

# **SAFETY DATA SHEET**

# 1. Identification

Product identifier 2-9-5

Other means of identification

Product Number 56

**Recommended use** Plant Nutrients **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name

Address

Baicor LC

P.O. Box 725

Logan, UT 84323

United States

TelephoneNot available.Websitewww.baicor.comE-mailNot available.Emergency phone numberNot available.

# 2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Serious eye damage/eye irritation Category 2B **Environmental hazards** Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment,

Category 3

long-term hazard

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal word Warning

Hazard statement Causes eye irritation. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

**Precautionary statement** 

**Prevention** Wash thoroughly after handling. Avoid release to the environment.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Storage Store away from incompatible materials. Products should be stored above 12.8°C (55°F).

Storage of bulk products is best suited for original manufacturing containers. If required, storage in a polypropylene storage tank with polypropylene fittings is recommended. Metal storage tanks

and fittings are not recommended for long term.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

# **Mixtures**

| Chemical name      | Common name and synonyms | CAS number   | %       |
|--------------------|--------------------------|--------------|---------|
| TRADE SECRET*      |                          | Proprietary* | 3 - < 5 |
| MANGANESE SULPHATE |                          | 7785-87-7    | 1 - < 3 |
| UREA               |                          | 57-13-6      | 1 - < 3 |

| Chemical name                         | Common name and synonyms | CAS number | %        |
|---------------------------------------|--------------------------|------------|----------|
| ZINC SULFATE MONOHYDRATE              |                          | 7446-19-7  | 1 - < 3  |
| COPPER (II) SULFATE<br>PENTAHYDRATE   |                          | 7758-99-8  | < 1      |
| Other components below reportable lev | /els                     |            | 90 - 100 |

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Rinse mouth. Get medical attention if symptoms occur.

Most important

Ingestion

symptoms/effects, acute and delayed

Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

treatment needed
General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Chaoial protective equipment

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods
General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

# 7. Handling and storage

Precautions for safe handling

Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

# Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components   | Туре                       | Value      |                      |
|--|----------------------------|------------|----------------------|
| MANGANESE SULPHATE<br>(CAS 7785-87-7)                  | Ceiling                    | 5 mg/m3    |                      |
| US. ACGIH Threshold Limit Value                        | s                          |            |                      |
| Components   | Туре                       | Value      | Form                 |
| MANGANESE SULPHATE<br>(CAS 7785-87-7)                  | TWA                        | 0.1 mg/m3  | Inhalable fraction.  |
|  |                            | 0.02 mg/m3 | Respirable fraction. |
| TRADE SECRET   | TWA                        | 1 mg/m3    |                      |
| US. NIOSH: Pocket Guide to Chen                        | nical Hazards              |            |                      |
| Components   | Туре                       | Value      | Form                 |
| COPPER (II) SULFATE<br>PENTAHYDRATE (CAS<br>7758-99-8) | TWA                        | 1 mg/m3    | Dust and mist.       |
| MANGANÉSE SULPHATE<br>(CAS 7785-87-7)                  | STEL                       | 3 mg/m3    | Fume.                |
| ,  | TWA                        | 1 mg/m3    | Fume.                |
| TRADE SECRET   | TWA                        | 1 mg/m3    |                      |
| US. Workplace Environmental Exp                        | oosure Level (WEEL) Guides |            |                      |
| Components   | Type                       | Value      | Form                 |

**Biological limit values**No biological exposure limits noted for the ingredient(s).

**TWA** 

Appropriate engineering

UREA (CAS 57-13-6)

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

10 mg/m3

Total particulate.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

**Other** Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.
Form Liquid.
Color Green
Odor Slight.
Odor threshold Not available.

**pH** 3.2

Melting point/freezing point 374 °F (190 °C) estimated

Initial boiling point and boiling

range

Not available.

Flash point Not available.

Evaporation rate Not available.
Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

(%)

Flammability limit - upper

Flammability limit - lower

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.00001 hPa estimated

Not available.

Not available.

Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Percent volatile 59.83 % estimated

Specific gravity 1.27

VOC (Weight %) 0.58 % estimated

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardousHazardous polymerization does not occur.

reactions

**Conditions to avoid** Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

#### 11. Toxicological information

Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

**Skin contact** No adverse effects due to skin contact are expected.

**Eye contact** Causes eye irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.

#### Information on toxicological effects

**Acute toxicity** 

Components Species Test Results

COPPER (II) SULFATE PENTAHYDRATE (CAS 7758-99-8)

Acute Oral

 LD100
 Mouse
 50 mg/kg

 LD50
 Rat
 960 mg/kg

Components Species Test Results

MANGANESE SULPHATE (CAS 7785-87-7)

<u>Acute</u>

Oral

LD100 Mouse 305 mg/kg

UREA (CAS 57-13-6)

<u>Acute</u>

Oral

LD50 Rat 8471 mg/kg

Sheep 28500 mg/kg

ZINC SULFATE MONOHYDRATE (CAS 7446-19-7)

<u>Acute</u>

**Dermal** 

LD50 Rat > 2000 mg/kg

Oral

LD50 Mouse 57 mg/kg
Rat 623 mg/kg

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

Causes eye irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

## 12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

| Components             | Species                    | Test Results |
|------------------------|----------------------------|--------------|
| COPPER (II) SULFATE PE | NTAHYDRATE (CAS 7758-99-8) |              |

Aquatic

Crustacea EC50 Water flea (Daphnia magna) 0.0058 - 0.0073 mg/l, 48 hours
Fish LC50 Bluegill (Lepomis macrochirus) 0.66 - 1.15 mg/l, 96 hours

MANGANESE SULPHATE (CAS 7785-87-7)

Aquatic

Crustacea EC50 Water flea (Daphnia magna) 7.09 - 9.36 mg/l, 48 hours Fish LC50 Fathead minnow (Pimephales promelas) 24.3 - 38.9 mg/l, 96 hours

UREA (CAS 57-13-6)

Aquatic

Crustacea EC50 Water flea (Daphnia magna) 3910 mg/l, 48 hours

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

| Components                               |      | Species                         | Test Results     |  |
|--|------|---------------------------------|------------------|--|
| Fish                                     | LC50 | Giant gourami (Colisa fasciata) | 5 mg/l, 96 hours |  |
| ZINC SULFATE MONOHYDRATE (CAS 7446-19-7) |      |                                 |                  |  |
| Aquatic                                  |      |                                 |                  |  |

Crustacea EC50 Rotifer (Philodina acuticornis) 0.3 mg/l, 48 hours LC50 Fish Rainbow trout, donaldson trout 0.162 mg/l, 96 hours

(Oncorhynchus mykiss)

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

**UREA** -2.11

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

Not established.

# 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

MANGANESE SULPHATE (CAS 7785-87-7) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

# SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

# SARA 313 (TRI reporting)

| Chemical name                    | CAS number | % by wt. |  |
|----------------------------------|------------|----------|--|
| MANGANESE SULPHATE               | 7785-87-7  | 1 - < 3  |  |
| ZINC SULFATE MONOHYDRATE         | 7446-19-7  | 1 - < 3  |  |
| COPPER (II) SULFATE PENTAHYDRATE | 7758-99-8  | < 1      |  |

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

MANGANESE SULPHATE (CAS 7785-87-7)

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

## **US state regulations**

#### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

#### **US. Massachusetts RTK - Substance List**

COPPER (II) SULFATE PENTAHYDRATE (CAS 7758-99-8)

ZINC SULFATE MONOHYDRATE (CAS 7446-19-7)

# US. New Jersey Worker and Community Right-to-Know Act

COPPER (II) SULFATE PENTAHYDRATE (CAS 7758-99-8)

MANGANESE SULPHATE (CAS 7785-87-7)

ZINC SULFATE MONOHYDRATE (CAS 7446-19-7)

# US. Pennsylvania Worker and Community Right-to-Know Law

COPPER (II) SULFATE PENTAHYDRATE (CAS 7758-99-8)

TRADE SECRET (CAS Proprietary)

ZINC SULFATE MONOHYDRATE (CAS 7446-19-7)

#### **US. Rhode Island RTK**

MANGANESE SULPHATE (CAS 7785-87-7)

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

## **International Inventories**

| Country(s) or region | Inventory name   | On inventory (yes/no)* |
|----------------------|--|------------------------|
| Australia            | Australian Inventory of Chemical Substances (AICS)                     | Yes                    |
| Canada               | Domestic Substances List (DSL)   | Yes                    |
| Canada               | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                    |
| Europe               | European Inventory of Existing Commercial Chemical Substances (EINECS) | No                     |
| Europe               | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                | Inventory of Existing and New Chemical Substances (ENCS)               | No                     |
| Korea                | Existing Chemicals List (ECL)  | No                     |
| New Zealand          | New Zealand Inventory  | Yes                    |
| Philippines          | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes                    |

Country(s) or region Inventory name On inventory (yes/no)\*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Vac

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

**Issue date** 08-31-2015

Version # 01

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Material name: 2-9-5 sps us

56 Version #: 01 Issue date: 08-31-2015