

SAFETY DATA SHEET

1. Identification

Product identifier Micro-Mix

Other means of identification

Product Number 67

Recommended use Plant Nutrients
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Baicor LC
Address P.O. Box 725

Logan, UT 84323 United States

TelephoneNot available.Websitewww.baicor.comE-mailNot available.Emergency phone numberNot available.

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, dermal Category 4

Acute toxicity, inhalation Category 4
Serious eye damage/eye irritation Category 2B

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Harmful in contact with skin. Causes eye irritation. Harmful if inhaled. Harmful to aquatic life.

Harmful to aquatic life with long lasting effects.

Precautionary statement

Prevention Avoid breathing vapors. Wash thoroughly after handling. Use only outdoors or in a well-ventilated

area. Avoid release to the environment. Wear protective gloves/protective clothing.

Response If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable

for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before

reuse.

None known.

Storage Store away from incompatible materials. Products should be stored above 12.8°C (55°F).

Storage of bulk products is best suited for original manufacturing containers. If required, storage in a polypropylene storage tank with polypropylene fittings is recommended. Metal storage tanks

and fittings are not recommended for long term.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Material name: Micro-Mix SDS US

67 Version #: 01 Issue date: 09-02-2015

17.35% of the mixture consists of component(s) of unknown acute dermal toxicity. 8.39% of the mixture consists of component(s) of unknown acute inhalation toxicity.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ZINC SULFATE		7733-02-0	5 - < 10
MAGNESIUM CHLORIDE		7791-18-6	3 - < 5
MANGANESE SULPHATE		7785-87-7	3 - < 5
TRADE SECRET*		Proprietary*	3 - < 5
TRADE SECRET*		Proprietary*	1 - < 3
UREA		57-13-6	1 - < 3
COPPER (II) SULFATE PENTAHYDRATE		7758-99-8	< 0.3
Other components below reportable leve	ls		70 - < 80

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Call a POISON CENTER or doctor/physician if you feel unwell.

Wash off with soap and water. Get medical advice/attention if you feel unwell. Get medical Skin contact

attention if irritation develops and persists. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.

Ingestion Rinse mouth. Get medical advice/attention if you feel unwell.

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

General information

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

and precautions for firefighters

Special protective equipment

During fire, gases hazardous to health may be formed.

Move containers from fire area if you can do so without risk.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Fire fighting equipment/instructions

Specific methods General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors and spray mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: Micro-Mix SDS US

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling

Avoid inhalation of vapors and spray mists. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Components	Contaminants (29 CFR 1910.1000) Type	Value	
MANGANESE SULPHATE (CAS 7785-87-7)	Ceiling	5 mg/m3	
US. ACGIH Threshold Limit Values	5		
Components	Туре	Value	Form
MANGANESE SULPHATE (CAS 7785-87-7)	TWA	0.1 mg/m3	Inhalable fraction.
,		0.02 mg/m3	Respirable fraction.
TRADE SECRET	TWA	1 mg/m3	
US. NIOSH: Pocket Guide to Chem	nical Hazards		
Components	Туре	Value	Form
COPPER (II) SULFATE PENTAHYDRATE (CAS 7758-99-8)	TWA	1 mg/m3	Dust and mist.
MANGANÉSE SULPHATE (CAS 7785-87-7)	STEL	3 mg/m3	Fume.
,	TWA	1 mg/m3	Fume.
TRADE SECRET	TWA	1 mg/m3	
US. Workplace Environmental Exp	oosure Level (WEEL) Guides		
Components	Туре	Value	Form
UREA (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Material name: Micro-Mix sps us

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical stateLiquid.FormLiquid.ColorBrown.OdorSlight.

Odor threshold Not available.

pH 2.5

Melting point/freezing point 1256 °F (680 °C) estimated

Initial boiling point and boiling

range

Not available.

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.00001 hPa estimated

Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Percent volatile 73.51 % estimated

Specific gravity 1.22

VOC (Weight %) 1.3 % estimated

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stabilityMaterial is stable under normal conditions. **Possibility of hazardous**Hazardous polymerization does not occur.

reactions

Conditions to avoidContact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

Material name: Micro-Mix SDS US

67 Version #: 01 Issue date: 09-02-2015

11. Toxicological information

Information on likely routes of exposure

Inhalation Harmful if inhaled.

Skin contact Harmful in contact with skin.

Eye contact Causes eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.

Information on toxicological effects

Acute toxicity Harmful if inhaled. Harmful in contact with skin.

Components Species		Species	Test Results	
COPPER (II) SULFATE PENTAHYDRATE (CAS 7758-99-8)				
_	<u>Acute</u>			
	Oral			
	LD100	Mouse	50 mg/kg	
L	LD50	Rat	960 mg/kg	
MAGNES	IUM CHLORIDE (CAS 7791			
	<u>Acute</u>			
	Oral			
	_D50	Rat	2800 mg/kg	
	ESE SULPHATE (CAS 778	5-87-7)		
_	<u>Acute</u>			
	Oral		005 #	
	LD100	Mouse	305 mg/kg	
TRADE SECRET				
	Acute			
	Oral _D50	Mouse	5040 mg/kg	
L	_D30			
	A O 57 40 0\	Rat	6730 mg/kg	
	AS 57-13-6)			
_	<u>Acute</u> Oral			
	Drai LD50	Rat	8471 mg/kg	
	_D50	Sheep	28500 mg/kg	
71110 0111	EATE (OAO 7700 00 0)	Sneep	28500 Hig/kg	
ZINC SULFATE (CAS 7733-02-0)				
	<u>Acute</u> Dermal			
	LD50	Rat	> 2000 mg/kg	
	Oral	1144	2 2000 mg/ng	
	Drai LD50	Mouse	57 mg/kg	
L	_DJ0			
		Rat	623 mg/kg	

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

Causes eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Material name: Micro-Mix SDS US

67 Version #: 01 Issue date: 09-02-2015

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Components		Species	Test Results
COPPER (II) SULFATE F	PENTAHYDRATE	E (CAS 7758-99-8)	
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	0.0058 - 0.0073 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	0.66 - 1.15 mg/l, 96 hours
MAGNESIUM CHLORIDE	E (CAS 7791-18-	6)	
Aquatic			
Crustacea	EC50	Calanoid copepod (Eudiaptomus padanus padanus)	95 - 342 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	1580 - 2740 mg/l, 96 hours
MANGANESE SULPHAT	E (CAS 7785-87	7-7)	
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	7.09 - 9.36 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	24.3 - 38.9 mg/l, 96 hours
UREA (CAS 57-13-6)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	3910 mg/l, 48 hours
Fish	LC50	Giant gourami (Colisa fasciata)	5 mg/l, 96 hours
ZINC SULFATE (CAS 77	33-02-0)		
Aquatic			
Crustacea	EC50	Rotifer (Philodina acuticornis)	0.3 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.162 mg/l, 96 hours

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

UREA -2.11

Mobility in soil No data available.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow **Disposal instructions**

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Material name: Micro-Mix

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Not established.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

MANGANESE SULPHATE (CAS 7785-87-7) Listed. ZINC SULFATE (CAS 7733-02-0) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
ZINC SULFATE	7733-02-0	5 - < 10	_
MANGANESE SULPHATE	7785-87-7	3 - < 5	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

MANGANESE SULPHATE (CAS 7785-87-7)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

Material name: Micro-Mix SDS US

US. Massachusetts RTK - Substance List

COPPER (II) SULFATE PENTAHYDRATE (CAS 7758-99-8)

ZINC SULFATE (CAS 7733-02-0)

US. New Jersey Worker and Community Right-to-Know Act

COPPER (II) SULFATE PENTAHYDRATE (CAS 7758-99-8)

MANGANESE SULPHATE (CAS 7785-87-7)

ZINC SULFATE (CAS 7733-02-0)

US. Pennsylvania Worker and Community Right-to-Know Law

COPPER (II) SULFATE PENTAHYDRATE (CAS 7758-99-8)

TRADE SECRET (CAS Proprietary) ZINC SULFATE (CAS 7733-02-0)

US. Rhode Island RTK

MANGANESE SULPHATE (CAS 7785-87-7) ZINC SULFATE (CAS 7733-02-0)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 09-02-2015

Version # 01

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Material name: Micro-Mix SDS US